



GRAVURES

RIVE NORD


LaserMax®



Crimson/White LM912-602 (2-ply 1/32") LM922-607 (2-ply 1/16") LM922-622 (2-ply 1/16") LM922-612 (2-ply 1/16") LM922-704 (2-ply 1/32") LM922-932 (2-ply 1/16") LM922-972 (2-ply 1/16") LM922-912 (2-ply 1/16") LM912-512 (2-ply 1/32") LM922-502 (2-ply 1/16") LM922-517 (2-ply 1/16") LM922-502 (2-ply 1/16") LM922-552 (2-ply 1/16")
LM922-602 (2-ply 1/16") LM942-602 (2-ply 1/8") LM943-602 (3-ply 1/8") LM922-704 (2-ply 1/8") LM942-704 (3-ply 1/8") LM922-912 (2-ply 1/16") LM942-912 (2-ply 1/8") LM943-912 (3-ply 1/8") LM912-512 (2-ply 1/16") LM942-512 (2-ply 1/8") LM943-512 (3-ply 1/8")



China Blue/White LM922-382 (2-ply 1/16") LM922-582 (2-ply 1/16") LM922-206 (2-ply 1/16") LM922-226 (2-ply 1/16") LM922-205 (2-ply 1/16") LM922-209 (2-ply 1/16") LM922-269 (2-ply 1/16") LM912-204 (2-ply 1/32") LM922-228 (2-ply 1/16") LM922-854 (2-ply 1/16") LM922-326 (2-ply 1/16") LM922-325 (2-ply 1/16")
LM922-204 (2-ply 1/16") LM942-204 (2-ply 1/8") LM943-204 (3-ply 1/8") LM922-204 (2-ply 1/16") LM942-204 (2-ply 1/8") LM943-204 (3-ply 1/8")



Light Grey/Black LM922-324 (2-ply 1/16") LM922-312 (2-ply 1/16") LM922-822 (2-ply 1/16") LM922-842 (2-ply 1/16") LM912-402 (2-ply 1/32") LM922-422 (2-ply 1/16") LM922-407 (2-ply 1/16") LM922-417 (2-ply 1/16") LM922-427 (2-ply 1/16") LM922-413 (2-ply 1/16") LM922-577 (2-ply 1/16") LM922-677 (2-ply 1/16")
LM922-402 (2-ply 1/16") LM942-402 (2-ply 1/8") LM943-402 (3-ply 1/8") LM922-402 (2-ply 1/16") LM942-402 (2-ply 1/8") LM943-402 (3-ply 1/8")




Verde/Gold* ■ Brushed Copper/Black* ■ Deep Bronze/Black* ■ Br. Gold/Black* ■ European Gold/Black* ■ Smooth Gold/Black* ■ Br. Aluminum/Black* ■ Br. Silver/Black* ■ Smooth Silver/Black* ■

LM922-937 (2-ply 1/16") LM922-894 (2-ply 1/16") LM922-884 (2-ply 1/16") LM912-734 (2-ply 1/32") LM912-754 (2-ply 1/32") LM922-714 (2-ply 1/16") LM912-354 (2-ply 1/32") LM922-334 (2-ply 1/16") LM922-344 (2-ply 1/16")
LM922-734 (2-ply 1/16") LM922-754 (2-ply 1/16") LM942-734 (2-ply 1/8") LM942-754 (2-ply 1/8") LM922-354 (2-ply 1/16") LM942-354 (2-ply 1/8")

* Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

LaserMax® metals are available with NoMark® Plus finish by adding "0-" to the end of the item code.

Contemporary Wood Collection™





Cashew/Dark Brown LM922-188 (2-ply 1/16") LM922-138 (2-ply 1/16") LM922-134 (2-ply 1/16") LM922-122 (2-ply 1/16") LM922-112 (2-ply 1/16") LM922-022 (2-ply 1/16") LM922-222 (2-ply 1/16") LM922-082 (2-ply 1/16") LM922-012 (2-ply 1/16")

Légende	
	Gravure au Laser
	Rotogravure
	Gravable par l'avant
	Gravable par l'Arrière
	Usage Intérieur
	Usage Extérieur
	UV Stable
	Pas recommandé pour les endroits humides
	Finition Lustré
Les épaisseurs sont approximatives	
Pour plus de détails, vérifier avec Gravures Rive-Nord.com	

GRAVURES


RIVE NORD

LaserMark®



* LaserMark® metals are available with NoMark® Plus finish by adding "O+" to the end of the item code.

MetalGraph Plus®



Légende

- Gravure au Laser
- Rotogravure
- Gravable par l'avant
- Gravable par l'Arrière
- Usage Intérieur
- Usage Extérieur
- UV Stable
- Pas recommandé pour les endroits humides
- Finition Lustré

Les épaisseurs sont approximatives
Pour plus de détails, vérifier avec Gravures Rive-Nord.com


GRAVURES

RIVE NORD


FlexiBrass® & FlexiColor®



LaserLIGHTS



LASERmag



Légende	
	Gravure au Laser
	Rotogravure
	Gravable par l'avant
	Gravable par l'Arrière
	Usage Intérieur
	Usage Extérieur
	UV Stable
	Pas recommandé pour les endroits humides
	Finition Lustré
Les épaisseurs sont approximatives	
Pour plus de détails, vérifier avec Gravures Rive-Nord.com	

GRAVURES RIVE NORD

ADA Alternative® Substrate & Appliqué



Red 311-601 (1-ply 1/32") 321-601 (1-ply 1/16") 341-601 (1-ply 1/8")	Burgundy 311-602 (1-ply 1/32") 321-602 (1-ply 1/16") 341-602 (1-ply 1/8")	Canyon 311-823 (1-ply 1/32") 321-823 (1-ply 1/16") 341-823 (1-ply 1/8")	Yellow 311-701 (1-ply 1/32") 321-701 (1-ply 1/16") 341-701 (1-ply 1/8")	Bright Green 311-901 (1-ply 1/32") 321-901 (1-ply 1/16") 341-901 (1-ply 1/8")	Pine Green 311-902 (1-ply 1/32") 321-902 (1-ply 1/16") 341-902 (1-ply 1/8")	Black Forest Green 311-903 (1-ply 1/32") 321-903 (1-ply 1/16") 341-903 (1-ply 1/8")	Bahama Blue 311-509 (1-ply 1/32") 321-509 (1-ply 1/16") 341-509 (1-ply 1/8")	Blue 311-501 (1-ply 1/32") 321-501 (1-ply 1/16") 341-501 (1-ply 1/8")	Air Force Blue 311-504 (1-ply 1/32") 321-504 (1-ply 1/16") 341-504 (1-ply 1/8")	Marine Blue 311-502 (1-ply 1/32") 321-502 (1-ply 1/16") 341-502 (1-ply 1/8")
---	--	--	--	--	--	--	---	--	--	---

A horizontal row of eleven color swatches for paper. From left to right: China Blue (dark blue), Antique Ivory (yellowish-beige), Sand (light beige), Ash (off-white), Parchment (light beige), Sandalwood (tan), White (off-white), Bright White (very light beige), Light Grey (medium grey), Pearl Grey (light grey), and Grey (dark grey). A green circular badge with the word 'NEW' is positioned above the Sand and Ash swatches.

ColorCast Acrylics™



A horizontal color bar consisting of ten colored squares arranged side-by-side. From left to right, the colors are: Red, Purple, Blue, Dark Blue, Light Gray, White, Gray, Black, Gold, Silver, and Light Gray. The colors transition from dark red/purple on the left to black and gold in the center, then back to light gray and white on the right.

Red	Burgundy	Blue	Navy Blue	Almond	White	Grey	Black	Gold	Silver	Clear
CC342-600M (2-ply 1/8")	CC342-620M (2-ply 1/8")	CC342-500M (2-ply 1/8")	CC342-550M (2-ply 1/8")	CC342-400M (2-ply 1/8")	CC342-300M (2-ply 1/8")	CC342-710M (2-ply 1/8")	CC342-330M (2-ply 1/8")	CC342-100M (1-ply 1/8")		
CC342-600G (2-ply 1/8")	CC342-620G (2-ply 1/8")	CC342-500G (2-ply 1/8")	CC342-550G (2-ply 1/8")	CC342-400G (2-ply 1/8")	CC342-300G (2-ply 1/8")	CC342-710G (2-ply 1/8")	CC342-330G (2-ply 1/8")	CC342-100G (1-ply 1/8")		
CC352-600M (2-ply 1/4")	CC352-620M (2-ply 1/4")	CC352-500M (2-ply 1/4")	CC352-550M (2-ply 1/4")	CC352-400M (2-ply 1/4")	CC352-300M (2-ply 1/4")	CC352-710M (2-ply 1/4")	CC352-330M (2-ply 1/4")	CC352-100M (1-ply 1/4")		
CC352-600G (2-ply 1/4")	CC352-620G (2-ply 1/4")	CC352-500G (2-ply 1/4")	CC352-550G (2-ply 1/4")	CC352-400G (2-ply 1/4")	CC352-300G (2-ply 1/4")	CC352-710G (2-ply 1/4")	CC352-330G (2-ply 1/4")	CC352-100G (1-ply 1/4")		

* Available in matte (M) and gloss (G) finish, as designated by item code.

* Available in metric (.mm) and gross (.G) finish, as designated by item code.

* Cell cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Remember to check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. In some cases, thickness variations may require the operator to make multiple passes during laser engraving.

Légende


- | | | | |
|--|----------------------|--|--|
| | Gravure au Laser | | Rotogravure |
| | Gravable par l'avant | | Gravable par l'Arrière |
| | Usage Intérieur | | Usage Extérieur |
| | UV Stable | | Pas recommandé pour les endroits humides |
| | Edition Lustré | | |

Les épaisseurs sont approximatives
Pour plus de détails, vérifier avec Gravures Rive-Nord.com

GRAVURES

RIVE NORD

Reverse LaserMark®



* Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

Gloss/
Smooth Gold* ■
922-710 (2-ply 1/16")
942-711 (2-ply 1/8")

Matte/Smooth Silver* ■
922-341 (2-ply 1/16")
942-341 (2-ply 1/8")

Gloss/Smooth Silver* ■
922-340 (2-ply 1/16")
942-340 (2-ply 1/8")

Matte/Clear
311-101 (1-ply 1/32")
322-101 (1-ply 1/16")
342-101 (1-ply 1/8")

Clear/Clear
411-100 (1-ply 1/32")
422-100 (1-ply 1/16")
442-100 (1-ply 1/32")

Matte/
Smooth Gold*
922-711 (2-ply 1/16")
942-711 (2-ply 1/8")

NEW ColorHues™



Clear ■
(Translucent)
CH341-100 (1-ply 1/8")
CH351-100 (1-ply 1/4")

Ice Blue ■
(Translucent)
CH341-500 (1-ply 1/8")

Glass Green ■
(Translucent)
CH341-900 (1-ply 1/8")

Phantom ■
(Translucent)
CH341-211 (1-ply 1/8")

Cherry Blossom ■
(Translucent)
CH341-611 (1-ply 1/8")

Powder ■
(Translucent)
CH341-511 (1-ply 1/8")

Glacier ■
(Translucent)
CH341-521 (1-ply 1/8")

Rain Drop ■
(Translucent)
CH341-531 (1-ply 1/8")

Wedgewood ■
(Translucent)
CH341-541 (1-ply 1/8")

Pacific ■
(Translucent)
CH341-551 (1-ply 1/8")

Caribbean ■
(Translucent)
CH341-921 (1-ply 1/8")

Citrus ■
(Translucent)
CH341-701 (1-ply 1/8")

Daffodil ■
(Translucent)
CH341-721 (1-ply 1/8")

Passion Fruit ■
(Translucent)
CH341-621 (1-ply 1/8")

Poppy ■
(Translucent)
CH341-601 (1-ply 1/8")

Wisteria ■
(Translucent)
CH341-581 (1-ply 1/8")

Kiwi ■
(Translucent)
CH341-931 (1-ply 1/8")

White ■
(Opaque)
CH341-201 (1-ply 1/8")

Black ■
(Opaque)
CH341-401 (1-ply 1/8")

* Natural variation in color is to be expected with this product.

* Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Remember to check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. In some cases, thickness variations may require the operator to make multiple passes during laser engraving.

LaserGlow®



Glow with
Adhesive
LG302-911
(1-ply .020")

ADA Compliant
Glow
LG311-911 (1-ply 1/32")
LG321-911 (1-ply 1/16")
LG341-911 (1-ply 1/8")

Reverse
Eng. Glow
LG321-911 (.050")

Glow/
Safety Red*
LG322-916
(2-ply .050")

Glow/
Safety Green*
LG322-919
(2-ply .050")

Glow/
Safety Blue*
LG322-915
(2-ply .050")

Glow/
Safety Black
LG322-914
(2-ply .050")

* For best results, it is recommended to rotary engrave these select products.

Légende

- | | | | |
|--|----------------------|--|--|
| | Gravure au Laser | | Rotogravure |
| | Gravable par l'avant | | Gravable par l'Arrière |
| | Usage Intérieur | | Usage Extérieur |
| | UV Stable | | Pas recommandé pour les endroits humides |
| | Finition Lustré | | |


Les épaisseurs sont approximatives

Pour plus de détails, vérifier avec Gravures Rive-Nord.com

GRAVURES

RIVE NORD


Granites Deluxe®



Textures



Frosted Acrylics™



Crystal Ice
442-101 (1-ply 1/8")
452-101 (1-ply 1/4")

Ice Blue
442-501 (1-ply 1/8")
452-501 (1-ply 1/4")

Glass Green
442-901 (1-ply 1/8")
452-901 (1-ply 1/4")

Légende

- Gravure au Laser
- Rotogravure
- Gravable par l'avant
- Gravable par l'Arrière
- Usage Intérieur
- Usage Extérieur
- UV Stable
- Pas recommandé pour les endroits humides
- Finition Lustré

Les épaisseurs sont approximatives
Pour plus de détails, vérifier avec Gravures Rive-Nord.com